

SAFETY DATA SHEET

ROHM AND HAAS ELECTRONIC MATERIALS LLC

# Product name: UV™ 1100-0.38 POSITIVE DUV PHOTORESIST

Issue Date: 03/03/2015 Print Date: 07/10/2015

ROHM AND HAAS ELECTRONIC MATERIALS LLC encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

# **1. IDENTIFICATION**

Product name: UV™ 1100-0.38 POSITIVE DUV PHOTORESIST

Recommended use of the chemical and restrictions on use Identified uses: Chemical Specialty

**COMPANY IDENTIFICATION** ROHM AND HAAS ELECTRONIC MATERIALS LLC A Subsidiary of The Dow Chemical Company 455 FOREST STREET MARLBOROUGH MA 01752 UNITED STATES

**Customer Information Number:** 

215-592-3000 SDSQuestion@dow.com

**EMERGENCY TELEPHONE NUMBER 24-Hour Emergency Contact:** 1 800 424 9300 **Local Emergency Contact:** 800-424-9300

# 2. HAZARDS IDENTIFICATION

## Hazard classification

This material is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200. Flammable liquids - Category 3 Eye irritation - Category 2A Reproductive toxicity - Category 2 Specific target organ toxicity - single exposure - Category 3

Label elements Hazard pictograms



### Signal word: WARNING!

### Hazards

Flammable liquid and vapour. Causes serious eye irritation. May cause respiratory irritation. Suspected of damaging fertility or the unborn child.

### **Precautionary statements**

#### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection. Use personal protective equipment as required.

# Response

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/ attention.

If eye irritation persists: Get medical advice/ attention.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

## Storage

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

## Disposal

Dispose of contents/ container to an approved waste disposal plant.

## Other hazards

no data available

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Chemical nature:** Solution of organic compounds This product is a mixture.

Component	CASRN	Concentration
Electronic grade propylene glycol monomethyl ether acetate	108-65-6	35.0 - 65.0 %
Ethyl lactate	97-64-3	20.0 - 60.0 %
Aromatic Acrylic Polymer		< 25.0 %
Aromatic Sulfur Compound		< 2.0 %
Methoxy-1-propanol acetate	70657-70-4	< 1.0 %

# 4. FIRST AID MEASURES

# Description of first aid measures

**Inhalation:** Remove from exposure. If there is difficulty in breathing, give oxygen. Seek medical attention if symptoms persist.

**Skin contact:** Wash skin with water. Continue washing for at least 15 minutes. Obtain medical attention if blistering occurs or redness persists.

**Eye contact:** Immediately flush the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

**Ingestion:** Wash out mouth with water. Have victim drink 1-3 glasses of water to dilute stomach contents. Induce vomiting if person is conscious. Immediate medical attention is required. Never administer anything by mouth if a victim is losing conciousness, is unconcious or is convulsing.

**Most important symptoms and effects, both acute and delayed:** Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed Notes to physician: Treat symptomatically.

# 5. FIREFIGHTING MEASURES

**Suitable extinguishing media:** Use water spray, foam, dry chemical or carbon dioxide. Keep containers and surroundings cool with water spray.

Unsuitable extinguishing media: no data available

Special hazards arising from the substance or mixture Hazardous combustion products: no data available

**Unusual Fire and Explosion Hazards:** This product may give rise to hazardous vapors in a fire. Vapors can travel a considerable distance to a source of ignition and result in flashback.

### Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry.

**Special protective equipment for firefighters:** Wear full protective clothing and self-contained breathing apparatus.

# 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:** Wear suitable protective clothing. Wear respiratory protection. Eliminate all ignition sources.

**Environmental precautions:** Prevent the material from entering drains or water courses. Do not discharge directly to a water source. Advise Authorities if spillage has entered watercourse or sewer or has contaminated soil or vegetation.

**Methods and materials for containment and cleaning up:** Contain spills immediately with inert materials (e.g., sand, earth). Transfer into suitable containers for recovery or disposal. Finally flush area with plenty of water.

# 7. HANDLING AND STORAGE

**Precautions for safe handling:** Use local exhaust ventilation. Avoid contact with eyes, skin and clothing. Keep container tightly closed.

**Conditions for safe storage:** Store in original container. Keep away from heat and sources of ignition. Storage area should be: cool dry well ventilated out of direct sunlight Keep away from heat, sparks, flame, and other sources of ignition. Practice good personal hygiene to prevent accidental exposure.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
Electronic grade propylene glycol monomethyl ether acetate	Rohm and Haas	TWA	30 ppm
acciaic	Rohm and Haas	TWA	Absorbed via skin
	Rohm and Haas	STEL	90 ppm
	Rohm and Haas	STEL	Absorbed via skin
	US WEEL	TWA	50 ppm
Ethyl lactate	Rohm and Haas	TWA	5 ppm

## **Exposure controls**

**Engineering controls:** Engineering methods to prevent or control exposure are preferred. Methods include process or personnel enclosure, mechanical ventilation (local exhaust), and control of process conditions.

# Individual protection measures

Eye/face protection: Goggles

Skin protection

**Hand protection:** Butyl rubber gloves. Other chemical resistant gloves may be recommended by your safety professional.

Other protection: Normal work wear.

**Respiratory protection:** Respiratory protection if there is a risk of exposure to high vapor concentrations. The specific respirator selected must be based on the airborne concentration found in the workplace and must not exceed the working limits of the respirator.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical state	liquid
Color	Light amber
Odor	sweet
Odor Threshold	no data available
рН	neutral
Melting point/range	no data available
Freezing point	no data available
Boiling point (760 mmHg)	ca.145 °C (293 °F)
Flash point	ca.47 °C (117 °F)
Evaporation Rate (Butyl Acetate = 1)	Slower than ether
Flammability (solid, gas)	Not Applicable
Lower explosion limit	no data available
Upper explosion limit	no data available
Vapor Pressure	no data available
Relative Vapor Density (air = 1)	Heavier than air.
Relative Density (water = 1)	ca.1.04
Water solubility	insoluble
Partition coefficient: n- octanol/water	no data available
Auto-ignition temperature	no data available
Decomposition temperature	no data available
Kinematic Viscosity	no data available
Explosive properties	no data available
Oxidizing properties	no data available
Molecular weight	no data available

Volatile Organic Compounds 815 - 961 g/L

NOTE: The physical data presented above are typical values and should not be construed as a specification.

# **10. STABILITY AND REACTIVITY**

Reactivity: no data available

Chemical stability: Stable under normal conditions.

**Possibility of hazardous reactions:** No dangerous reaction known under conditions of normal use. Product will not undergo hazardous polymerization.

**Conditions to avoid:** Heat, flames and sparks. Exposure to sunlight. contact with incompatible materials

Incompatible materials: Oxidizing agents Strong acids Strong bases

Hazardous decomposition products: oxides of carbon Nitrogen oxides (NOx) acrylates acrid smoke and irritating fumes

# 11. TOXICOLOGICAL INFORMATION

Toxicological information on this product or its components appear in this section when such data is available.

## Acute toxicity

Acute oral toxicity Product test data not available.

Acute dermal toxicity Product test data not available.

Acute inhalation toxicity Product test data not available.

**Skin corrosion/irritation** Product test data not available.

# Serious eye damage/eye irritation

Product test data not available.

# Sensitization

Product test data not available.

#### Specific Target Organ Systemic Toxicity (Single Exposure) Product test data not available.

Specific Target Organ Systemic Toxicity (Repeated Exposure) Product test data not available.

# Carcinogenicity

Not considered carcinogenic by NTP, IARC, and OSHA

### Teratogenicity

Product test data not available.

## Reproductive toxicity

Product test data not available.

### Mutagenicity

Product test data not available.

## Aspiration Hazard

Product test data not available.

# COMPONENTS INFLUENCING TOXICOLOGY:

### Electronic grade propylene glycol monomethyl ether acetate

Acute oral toxicity LD50, Rat, > 5,000 mg/kg

Acute dermal toxicity LD50, Rabbit, > 5,000 mg/kg

#### Acute inhalation toxicity

LC50, Rat, 6 Hour, > 10.8 mg/l No deaths occurred at this concentration.

#### Skin corrosion/irritation

Prolonged contact is essentially nonirritating to skin. Repeated contact may cause skin irritation with local redness.

#### Serious eye damage/eye irritation

May cause pain disproportionate to the level of irritation to eye tissues. May cause slight eye irritation. May cause slight corneal injury.

#### Sensitization

Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization: No relevant data found.

## Specific Target Organ Systemic Toxicity (Single Exposure)

Available data are inadequate to determine single exposure specific target organ toxicity.

## Specific Target Organ Systemic Toxicity (Repeated Exposure)

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Teratogenicity

Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

### **Reproductive toxicity**

In animal studies, did not interfere with reproduction. In animal studies, did not interfere with fertility.

### **Mutagenicity**

In vitro genetic toxicity studies were negative.

### **Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

### Ethyl lactate

### Acute oral toxicity

LD50, Rat, > 2,000 mg/kg OECD Test Guideline 425 No deaths occurred at this concentration.

# Acute dermal toxicity

LD50, Rat, > 5,000 mg/kg

### Acute inhalation toxicity

LC50, Rat, 4 Hour, vapour, 5.4 mg/l No deaths occurred at this concentration.

### Serious eye damage/eye irritation

May cause severe eye irritation. May cause moderate corneal injury. Effects may be slow to heal.

#### Sensitization

Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization: No relevant data found.

## Specific Target Organ Systemic Toxicity (Single Exposure)

May cause respiratory irritation. Route of Exposure: Inhalation Target Organs: Respiratory system

# Specific Target Organ Systemic Toxicity (Repeated Exposure)

In animals, effects have been reported on the following organs: Nasal tissue.

#### Teratogenicity

Did not cause birth defects or any other fetal effects in laboratory animals.

## **Reproductive toxicity**

No relevant data found.

#### Mutagenicity

In vitro genetic toxicity studies were negative.

#### **Aspiration Hazard** Based on available information, aspiration hazard could not be determined.

## Aromatic Acrylic Polymer

Acute oral toxicity LD50, Rat, > 5,000 mg/kg

Acute dermal toxicity LD50, Rat, > 5,500 mg/kg

Acute inhalation toxicity The LC50 has not been determined.

**Skin corrosion/irritation** A single application to rabbit skin produced no irritation.

### Serious eye damage/eye irritation

Single application to the rabbit eye produced mild irritation.

### Sensitization

For skin sensitization: No relevant data found.

For respiratory sensitization: No relevant data found.

## Specific Target Organ Systemic Toxicity (Single Exposure)

Available data are inadequate to determine single exposure specific target organ toxicity.

# Specific Target Organ Systemic Toxicity (Repeated Exposure)

No relevant data found.

# Teratogenicity

No relevant data found.

#### **Reproductive toxicity**

No relevant data found.

## Mutagenicity

No relevant data found.

No relevant data found.

## **Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

# Aromatic Sulfur Compound

Acute oral toxicity

Single dose oral LD50 has not been determined.

## Acute dermal toxicity

The dermal LD50 has not been determined.

## Acute inhalation toxicity

The LC50 has not been determined.

Skin corrosion/irritation No relevant data found.

# Serious eye damage/eye irritation

No relevant data found.

# Sensitization

For skin sensitization: No relevant data found.

For respiratory sensitization: No relevant data found.

# Specific Target Organ Systemic Toxicity (Single Exposure)

Available data are inadequate to determine single exposure specific target organ toxicity.

Specific Target Organ Systemic Toxicity (Repeated Exposure) No relevant data found.

**Teratogenicity** No relevant data found.

**Reproductive toxicity** No relevant data found.

Mutagenicity No relevant data found.

## **Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

# Methoxy-1-propanol acetate

Acute oral toxicity LD50, Rat, > 5,000 mg/kg

**Acute dermal toxicity** LD50, Rabbit, > 2,000 mg/kg No deaths occurred at this concentration.

Acute inhalation toxicity LC50, Rabbit, 4 Hour, vapour, > 2.46 mg/l

# Skin corrosion/irritation

Essentially nonirritating to skin.

## Serious eye damage/eye irritation

May cause slight eye irritation.

# Sensitization

For skin sensitization: No relevant data found. For respiratory sensitization: No relevant data found.

# Specific Target Organ Systemic Toxicity (Single Exposure)

May cause respiratory irritation. Route of Exposure: Inhalation Target Organs: Respiratory Tract

### Specific Target Organ Systemic Toxicity (Repeated Exposure)

Excessive exposure may cause irritation to upper respiratory tract (nose and throat).

### Teratogenicity

Has caused birth defects in laboratory animals at doses nontoxic to the mother.

# **Reproductive toxicity**

No relevant data found.

# Mutagenicity

No relevant data found.

## **Aspiration Hazard**

Based on available information, aspiration hazard could not be determined.

# Carcinogenicity

Not considered carcinogenic by NTP, IARC, and OSHA

# 12. ECOLOGICAL INFORMATION

Ecotoxicological information on this product or its components appear in this section when such data is available.

## Toxicity

# Electronic grade propylene glycol monomethyl ether acetate

# Acute toxicity to fish

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested). LC50, Oncorhynchus mykiss (rainbow trout), 96 Hour, 134 mg/l, Method Not Specified.

## Acute toxicity to aquatic invertebrates

EC50, Daphnia magna (Water flea), 48 Hour, 408 mg/l, Method Not Specified.

## Acute toxicity to algae/aquatic plants

ErC50, Pseudokirchneriella subcapitata (microalgae), static test, 96 Hour, > 1,000 mg/l, OECD Test Guideline 201 or Equivalent

# Ethyl lactate

# Acute toxicity to fish

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

LC50, Danio rerio (zebra fish), semi-static test, 96 Hour, 320 mg/l, OECD Test Guideline 203 or Equivalent

### Acute toxicity to aquatic invertebrates

EC50, Daphnia magna (Water flea), static test, 48 Hour, 683 mg/l, OECD Test Guideline 202 or Equivalent

#### Acute toxicity to algae/aquatic plants

ErC50, Pseudokirchneriella subcapitata (green algae), Static, 96 Hour, Growth rate, 3,500 mg/l, Method Not Specified.

### Aromatic Acrylic Polymer

Acute toxicity to fish No relevant data found.

## Aromatic Sulfur Compound

Acute toxicity to fish No relevant data found.

## Methoxy-1-propanol acetate

Acute toxicity to fish No relevant data found.

### Persistence and degradability

### Electronic grade propylene glycol monomethyl ether acetate

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. Material is ultimately biodegradable (reaches > 70% mineralization in OECD test(s) for inherent biodegradability).
10-day Window: Pass
Biodegradation: 83 %
Exposure time: 28 d
Method: OECD Test Guideline 301F or Equivalent
10-day Window: Not applicable
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 302B or Equivalent

Theoretical Oxygen Demand: 1.82 mg/mg

### Ethyl lactate

**Biodegradability:** Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%).

Biodegradation: 75 % Exposure time: 28 d Method: OECD Test Guideline 301D

Aromatic Acrylic Polymer Biodegradability: No relevant data found.

Aromatic Sulfur Compound Biodegradability: No relevant data found.

### Methoxy-1-propanol acetate

Biodegradability: No relevant data found.

### **Bioaccumulative potential**

## Electronic grade propylene glycol monomethyl ether acetate

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3). **Partition coefficient: n-octanol/water(log Pow):** 1.2 Measured

#### Ethyl lactate

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3). **Partition coefficient:** n-octanol/water(log Pow): 0.06 Measured

### Aromatic Acrylic Polymer

Bioaccumulation: No relevant data found.

### Aromatic Sulfur Compound

Bioaccumulation: No relevant data found.

### Methoxy-1-propanol acetate

Bioaccumulation: No relevant data found.

### Mobility in soil

### Electronic grade propylene glycol monomethyl ether acetate

Potential for mobility in soil is very high (Koc between 0 and 50). **Partition coefficient(Koc):** 1.7 Estimated.

#### Ethyl lactate

No relevant data found.

#### Aromatic Acrylic Polymer

No relevant data found.

## Aromatic Sulfur Compound

No relevant data found.

#### Methoxy-1-propanol acetate

No relevant data found.

# **13. DISPOSAL CONSIDERATIONS**

**Disposal methods:** Dispose in accordance with all local, state (provincial), and federal regulations. Incineration is the recommended method of disposal for containers. Under RCRA, it is the responsibility of the product's user to determine at the time of disposal, whether the product meets RCRA criteria for hazardous waste. This is because the product uses, transformations, mixtures, processes, etc. may render the resulting materials hazardous.

**Treatment and disposal methods of used packaging:** Empty containers retain product residues. Follow label warnings even after container is emptied. Improper disposal or reuse of this container may be dangerous and illegal. Refer to applicable federal, state and local regulations.

# 14. TRANSPORT INFORMATION

### DOT

Not regulated per 49CFR 173.150(f)(2)

# Classification for SEA transport (IMO-IMDG):

Proper shipping name	RESIN SOLUTION
UN number	UN 1866
Class	3
Packing group	III
Marine pollutant	No
Transport in bulk	Consult IMO regulations before transporting ocean bulk
according to Annex I or II	
of MARPOL 73/78 and the	
IBC or IGC Code	

# Classification for AIR transport (IATA/ICAO):

Proper shipping name	Resin solution
UN number	UN 1866
Class	3
Packing group	III

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

# **15. REGULATORY INFORMATION**

## **OSHA Hazard Communication Standard**

This product is considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312 Immediate, delayed, flammability hazard

# Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This product does not contain a chemical which is listed in Section 313 at or above de minimis concentrations.

## California (Proposition 65)

This product does not contain materials which the State of California has found to cause cancer, birth defects or other reproductive harm.

# United States TSCA Inventory (TSCA)

All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

# **16. OTHER INFORMATION**

# Hazard Rating System

### NFPA

Health	Fire	Reactivity
2	2	0

## Revision

Identification Number: 101088308 / 1304 / Issue Date: 03/03/2015 / Version: 2.0 Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

## Legend

Logona	
Absorbed via skin	Absorbed via skin
Rohm and Haas	Rohm and Haas OEL's
STEL	Short term exposure limit
TWA	Time weighted average
US WEEL	USA. Workplace Environmental Exposure Levels (WEEL)

## Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

ROHM AND HAAS ELECTRONIC MATERIALS LLC urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.